

# DREXEL PAS-800<sup>™</sup>

	SECT	ION 1: MATERIAL IDENT	IFICATION
Product Name:	Drexel PA		
Product Usage:	Pesticide	adjuvant, penetrant, acidifier	
Manufacturer: Address:	1700 Cha PO Box 13	, Tennessee, 38113-0327, USA	
	901-774-4	+570	
Emergency Telephone Numbers:	CHEMTRE DREXEL C	EC HEMICAL COMPANY	800-424-9300 901-774-4370
		TION 2: HAZARD IDENTI by the OSHA Hazard Communica	
Label Elements:			
Signal Word:	$\land$	$\wedge$	
DANGER		$\sim$	
Classifications:			
Hazard Class:	Toxicity S		Category:
		kicity, Oral	Category 4
		<pre>kicity, Inhalation psion/ irritation</pre>	Category 4
		ye damage / irritation	Category 1 Category 1
	Flammab		Category 4
Hazard Statements:	H Code:	Statement:	
nazara statements.	H302	Harmful if swallowed	
	H332	Harmful is inhaled	
	H314	Causes severe skin burns and	eye damage
	H318	Causes serious eye damage	
Precautionary Statements:			
Prevention:	Obtain sp	ecial instructions before use.	
	Do not ha	andle until all safety precautions	have been read and understood.
		athing dust/fume/gas/mist/vapo	
	-	t in eyes, on skin, or on clothing.	
	Wash face, hands and any exposed skin thoroughly after handling.		
		it, drink or smoke when using thi	•
	Use only outdoors or in a well-ventilated area. Avoid release into the environment.		
	Wear protective gloves/protective clothing/eye protection/face protection.		g/eve protection/face protection.
		onal protective equipment as req	
	In case of	inadequate ventilation, wear re	spiratory protection.
Response:			
If in Eyes:		-	nutes. Remove contact lenses, if present and easy
If Swallowed: If Inhaled:			n if you feel unwell. Treat symptomatically.



If on Skin or Clothing: If exposed or concerned: Material released or spilled:	Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. None available, get medical attention. Collect spillage
Storage:	Store in a well-ventilated place. Keep container tightly closed. Store locked up. Store in a cool, dry, and secure area designated specifically for pesticides and away from heat sources. Always use oldest stock first.
Disposal: HNOC (Hazard not otherwise classified):	Dispose of contents/container in accordance with your local or area regulatory authorities. None available/ None known.

# **SECTION 3: COMPOSITION INFORMATION**

<u>Chemical Name:</u> Active Ingredient:	<u>Synonym:</u>	CAS No.:	<u>EC No.:</u>	<u>RTECS:</u>	<u>% By Wt.:</u>
Phosphatidylcholine, Propanoic acid, Alcohol ethoxylate	N/A	Mixture	N/A	N/A	80.0%
Inert Ingredients:	N/A	N/A	N/A	N/A	20.0%

# **SECTION 4: FIRST-AID MEASURES**

Have the product container, label and / or Safety Data Sheets (SDS) with you when calling a poison control center or doctor or going for treatment. You may also call CHEMTREC at 800-424-9300 for emergency medical treatment information.

Eye Contact:	Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.		
If Swallowed:	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.		
Skin/Clothing Contact:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.		
If Inhaled:	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.		
Indication of Medical	Treat symptomatically.		
Attention and Special Treatment Needed:	If swallowed, seek medical attention. Do not induce vomiting unless directed to do so by medical personnel. Probable mucosal damage may contraindicate the use of gastric lavage.		
SECTION EXCIPE FIGHTING MEASURES			

#### **SECTION 5: FIRE FIGHTING MEASURES**

Fire Fighting Media:	Water, CO <sub>2</sub> , Dry chemical.
Fire Fighting Procedures:	Keep people away. Isolate fire and deny unnecessary entry. Evacuate the area and fight the fire from upwind at a safe distance to avoid hazardous vapors or decomposition products. Cool containers with water if possible. Dike and collect fire-extinguishing water to prevent environmental damage and excessive waste runoff.
Special Protective Equipment for Firefighters:	Wear positive-pressure self-contained breathing apparatus (SCBA) and protective firefighting clothing (includes firefighting helmet, coat, trousers, boots, and gloves). Use full face shield and operate in positive pressure mode. Avoid contact with this material during firefighting operations. If contact is likely, change to full chemical resistant firefighting



	clothing with self-contained breathing apparatus. If this is not available, wear full chemical resistant clothing with self-contained breathing apparatus and fight fire from a remote location. For protective equipment in post-fire or non-fire clean-up situations, refer to the relevant sections.
Specific Fire Hazards:	Can be dangerous when exposed to extreme heat and flame. Do not breathe mist/ vapor/ spray.
	Flammability classification (OSHA 29 CFR 1910.1200): N/Av Flash point: 160°F Lower flammable limit (% by volume): N/Av Upper flammable limit (% by volume): N/Av
Hazardous Combustion Products:	None known.

#### National Fire Protection Association:

NFPA:	Health		Fire		Reactivity	
20	2		1		0	
Ratings:	4-Extreme	3-High	2-Moderate	1-Slight	0-Insignificant	

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### **Personal Precautions:**

Isolate area. Keep unnecessary and unprotected personnel from entering the area. Refer to SECTION 7: HANDLING AND STORAGE, for additional precautionary measures. Ventilate area of leak or spill. Use appropriate safety equipment. For additional information, refer to SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION.

#### **Environmental Precautions:**

Prevent from entering soil, ditches, sewers, waterways and/or groundwater. Refer to SECTION 12: ECOLOGICAL INFORMATION.

#### Steps to be taken if Material is Released or Spilled:

Control the spill at its source.

- Small spills: Stop the flow of material, if this is without risk. Apply suitable absorbent and sweep up. Collect in suitable and properly labeled containers. Prevent entry into waterways, sewers, basements or confined areas.
- Large spills: Stop the flow of material, if this is without risk. Apply suitable absorbent and sweep up. Collect in suitable and properly labeled containers. Contact Drexel Chemical Company for clean-up assistance. Refer to SECTION 13: DISPOSAL CONSIDERATIONS, for additional information. Prevent entry into waterways, sewers, basements or confined areas.

## **SECTION 7: HANDLING AND STORAGE**

#### **KEEP OUT OF REACH OF CHILDREN**

Handling: General Handling: Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Do not swallow. Avoid breathing dust. Avoid breathing vapors. Use with adequate ventilation. Wear chemical protective equipment when handling. Wear long-sleeved shirt, long pants and shoes with socks when handling. Keep away from heat, sparks and flame. Refer to SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION.



Storage:Store in a cool, dry, ventilated and secure area designated specifically for pesticides and away from heat<br/>sources. Keep in original containers and keep containers closed when not in use. Do not store in excessive<br/>heat. Do not store near children, food, foodstuffs, drugs or potable water supplies.

# **SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION**

Occupational Exposure Limits:				
Components:	OSHA PEL	ACGIH TLV		
Propanoic acid	N/A	5 mg/m <sup>3</sup>		

THIS SECTION IS FOR MANUFACTURING, COMMERCIAL BLENDING AND PACKAGING WORKERS. APPLICATORS AND HANDLERS SHOULD REFER TO THE PRODUCT LABEL FOR PROPER PERSONAL PROTECTIVE EQUIPMENT AND CLOTHING.

#### **Engineering Controls:**

Ventilation: Investigate engineering techniques to reduce exposures. When handling this product proper ventilation is required to maintain exposure below the TLV. Ventilate all transport vehicles prior to unloading. Facilities storing or utilizing this material should be equipped with an eyewash facility / station and safety shower. Use engineering controls to maintain airborne level below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, use only with adequate ventilation. Local exhaust ventilation may be necessary for some operations.

### Personal Protection:

Personal Pro	tection:
Eye/Face Protection:	Eye contact should be avoided through the use of chemical safety glasses, goggles, or a face shield selected in regard to exposure potential. Wear chemical splash goggles to prevent vapors or mists from entering the eyes. Where there is potential for eye contact have eye flushing equipment available. Safety glasses with side-shields.
Ingestion:	Avoid ingestion of even very small amounts; do not consume or store food or tobacco in the work area; wash hands and face thoroughly with soap and water before smoking or eating. Avoid getting wash water in eyes.
Hand Protection:	Use gloves chemically resistant to this material. Examples of preferred glove barrier materials include: Neoprene, Nitrile/butadiene rubber ("nitrile" or "NBR") or Viton, Polyvinyl chloride ("PVC" or "vinyl"). The selection of gloves for a particular application and duration of use in the workplace should also be taken into account all relevant workplace factors such as, but not limited to: other chemicals which may be handled, physical requirements (cut/ puncture protection, dexterity, thermal protection), potential body reactions to gloves materials, as well as the instructions / specs provided by the supplier of gloves.
Skin Protection:	Use protective clothing chemically resistant to this material. Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task. Safety shower should be located in immediate work area. Remove contaminated clothing immediately, wash skin area with soap and water, and launder clothing before reuse or dispose of properly. Items which cannot be decontaminated, such as shoes, belts and watchbands, should be removed and disposed of properly.

Respiratory Protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, use an approved respirator. Selection of air-purifying or positive-pressure supplied-air will depend on the specific operation and the potential airborne concentration of the material. When handling in enclosed areas, when large quantities of dusts are generated or prolonged exposure is possible in excess of the TLV, use a respirator with either an organic vapor-removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-14G).

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Property Physical State Appearance / Color Odor Odor threshold Drexel PAS-800<sup>™</sup> Reported Value Liquid Yellow to Brown Strong vinegar odor Not available



pH	3.0 – 4.0
Melting point	Not available
Freezing point	<32°F
Boiling point	>212°F
Flash point	160°F
Evaporation rate	Not available
Flammability	Not available
Upper flammability/explosive limits	Not available
Lower flammability/explosive limits	Not available
Vapor pressure	Not available
Vapor density	8.58 Lbs. / gal.
Relative density	Emulsifies in water
Solubility in water	Not available
Solubility in organic solvents	Not available
Partition coefficient (n-octanol/water)	Not available
Auto-ignition temperature	Not available
Decomposition temperature	Not available
Viscosity	Not available
Explosive properties	Not available
Viscosity	Not available
Explosive properties	Not available
Oxidizing properties	Not available
Dissociation Constant	Not available

# SECTION 10: STABILITY AND REACTIVITY

Reactivity:	Thermally stable at typical use temperatures and in closed containers.
Chemical Stability:	Stable under recommended storage conditions.
Hazardous Polymerization:	Will not occur.
Conditions to Avoid:	None known.
Incompatible Materials:	Strong oxidizers.
Hazardous Decomposition Products:	Carbon monoxide.

# **SECTION 11: TOXICOLOGICAL INFORMATION**

### ACUTE TOXICITY

Potential routes of exposure/pote Acute Oral: Acute Dermal: Acute Inhalation: Eye Irritation: Skin Irritation: Skin Sensitization:	ential health effects: LD <sub>50</sub> (Rat): LD <sub>50</sub> (Rat): LC <sub>50</sub> (Rat): (Rabbit): (Rabbit): (Guinea Pig):	Skin contact, Eye contact, Ingestion >5 mg/kg >5 mg/kg No data available Severe Eye damage Severe Skin burns No data available	
Chronic Toxicity:	No data available		
Carcinogenicity:	No data available		
Mutagenicity:	Non-mutagenic for bac	terial and /or yeast	
Teratogenicity:	No data available		
Reproductive Toxicity:	No data available		
Developmental Toxicity:	No data available		



Specific target organ toxicity- single exposure:	No data available / Not classified
Specific target organ toxicity- repeated exposure:	No data available / Not classified
Other Hazards Effects:	No data available

# **SECTION 12: ECOLOGICAL INFORMATION**

## **ENVIRONMENTAL FATE**

Phosphatidylcholine, Propanoic acid, Alcohol ethoxylate The information presented below is for the active ingredient.

ECO-ACUTE TOXICITY Aquatic Toxicity:	Fish, LC <sub>50</sub> 96 hour	130 mg/L	
	Daphnia magna, LC <sub>50</sub> 48 hour	190 mg/L	
Arthropod Toxicity:	Bees, Acute LD <sub>50</sub>	No data available	
Bird Toxicity:	Mallard Duck, LD <sub>50</sub>	No data available	
	Bobwhite Quail, LD <sub>50</sub>	No data available	
Algal Toxicity:	Algae, LC <sub>50</sub> 96 hour	No data available	
Soil Organism Toxicity:	Earthworm acute toxicity	No data available	
Persistence and degradability:	No data available/ Not established		
Bioaccumulation:	No data available/ Not established		
Mobility in soil:	No data available/ Not established		
Other adverse effects:	Do not contaminate water supplies, lakes, streams, ponds or drains with this product.		

# **SECTION 13: DISPOSAL CONSIDERATIONS**

If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

# **SECTION 14: TRANSPORT INFORMATION**

DOT:	Packages ≤ 119 gallons Packages > 119 gallons	Not Regulated UN 1848 Propionic acid (Propanoic acid, mixture) 8, (3), PG-III, RQ 5,000 lbs.
IMDG:	UN 1848 Propionic Acid	(Propanoic acid, mixture) 8, PG-III, 5,000 lbs.
IATA / ICOA:	UN 1848 Propionic Acid (	Propanoic acid, mixture) 8, (3), PG-III, 5,000 lbs.
UN Identification No.: Proper Shipping Name: Hazard Class: Packing Group: Reportable Quantity: Environmental Hazard: Freight Description: ERG Guide No.:	UN 1848 Propionic Acid (Propanoio 8 III 5,000 lbs. Not applicable Agricultural Spray Adjuva 132	



#### Transport Information Note:

Placard must be displayed on two opposing sides as per DOT and IMDG. 1848 must be displayed in center of placard.



Truck placard:

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

# **SECTION 15: REGULATORY INFORMATION**

OSHA Hazard Communication Standard:	This product contains hazardous components as defined under the criteria of the Federal OSHA Hazardous Communication Standard 29 CFR 1910.1200.				
Label Signal Word: Label Information: Label Information:	inhaled. Do not get in this product. Do not	and Domestic Anin rere skin burns and n eyes, on skin or o breathe spray mis eating, drinking, c	serious eye damag on clothing. Do not t. Wash thoroughly hewing gum, using	e. Harmful if swallow eat, drink or smoke w with soap and water tobacco or using the t environment.	vhen using after
EPCRA SARA Title III Classifica	tion:				
Section 302:	Extremely Hazardous Notification:	s Substance	This material is ne Extremely Hazard	ot known to contain a Ious Substances.	any
Sections 311 and 312:		e) Health Hazard: c) Health Hazard: Fire Hazard: Reactive Hazard: Pressure Hazard:	Yes No Yes Yes No		
Section 313 Toxic Release Invo	entory (TRI):		at exceed the thres	themical components nold reporting levels of	
CERCLA Reportable Quantity ( SARA 304 Reportable Quantit	-	5,000 lbs. Not listed / Not a	available		
RCRA Hazardous Waste Classi	fication (40 CFR 261):	Not listed / Not a	available		
US EPA Toxic Substances Cont	rol Act (TSCA):	•		on the TSCA Inventory ements under 40 CFR	,
California Proposition 65 (Safe Toxic Enforcement Act of 1980		acid, Alcoh	ooline, Propanoic ol ethoxylate	Listed as causing: Listing date: Listing basis:	Not listed Not listed Not listed
		This product doe	s not contain any c	hemicals known to th	e State of

This product does not contain any chemicals known to the State of California to cause cancer, birth defects or any other reproductive harm.



International Inventories:	
TSCA	Complies
EINECS/ ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

## **SECTION 16: OTHER INFORMATION**

Date Issued: May 31, 2021	Date Supersedes: March 30, 2021	Revision: 3
For all non-emergency questions about this product, please contact:	1700 Channel Avenue PO Box 13327 Memphis, Tennessee 38113-0327, USA	Phone: 901-774-4370 Fax: 901-774-4666 Website: www.drexchem.com

Drexel Chemical Company recommends that each customer or recipient of this SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific SDSs, we are not and cannot be responsible for SDSs obtained from any source other than ourselves. If you have obtained an SDS from another source or if you are not sure that the SDS you have is current, please contact us for the most current version.