

ESTEEM® 35 WP (Insect Growth Regulator)



Safety Data Sheet - GHS

1. IDENTIFICATION: CHEMICAL PRODUCT AND COMPANY

PRODUCT NAME: ESTEEM® 35 WP (Insect Growth Regulator)
EPA REGISTRATION NUMBER: 59639-115
VC NUMBER(S): 1275
PRODUCT DESCRIPTION: Insect Growth Regulator

Esteem is a registered trademark of Valent U.S.A. LLC

MANUFACTURER/DISTRIBUTOR

VALENT U.S.A. LLC
P.O. Box 5075
4600 Norris Canyon Road
San Ramon, CA 94583

EMERGENCY TELEPHONE NUMBERS

HEALTH EMERGENCY OR SPILL (24 hr):
(800) 892-0099
TRANSPORTATION (24 hr.): CHEMTREC
(800) 424-9300 or (202) 483-7616

PRODUCT INFORMATION

AGRICULTURAL PRODUCTS: (800) 682-5368

The current SDS is available through our website (www.valent.com), or by calling the product information numbers listed above.

2. HAZARDS IDENTIFICATION

Classification - (per U.S. OSHA 29 CFR 1910.1200 (Hazcom 2012))

Acute Toxicity - Inhalation	Category 4
Reproductive toxicity	Category 2
Acute Aquatic Toxicity	Category 1

Symbols



Label elements

EMERGENCY OVERVIEW

WARNING

Hazard statements

Harmful if inhaled.
 Suspected of damaging fertility or the unborn child.
 Very toxic to the aquatic life.

Precautionary statements

Prevention

Avoid breathing dust.
 Use only outdoors or in a well ventilated area.
 Obtain special instructions before use.
 Wash thoroughly after handling.

Response

IF EXPOSED OR CONCERNED: Get medical advice/attention.
If inhaled: remove person to fresh air and keep comfortable for breathing.
Call Poison Control Center/ doctor if you feel unwell.

Storage

Store locked up.

Disposal

Dispose of container/ contents in accordance with local/ state regulations.

For information on Transportation requirements, see Section 14.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%
Pyriproxyfen	95737-68-1	35.0
Ingredients withheld as a Trade Secret	Various CAS No.'s	65.0

Specific information on other ingredients for the management of exposures, spills, or safety assessments can be obtained by a treating physician or nurse by calling **(800) 892-0099** at any time.

4. FIRST AID MEASURES

EMERGENCY NUMBER (800) 892-0099

EYE CONTACT:

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

SKIN CONTACT:

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

INGESTION:

Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. DO NOT induce vomiting unless told to do so by the poison control center or doctor. Do not give anything to an unconscious person.

INHALATION:

Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

NOTES TO PHYSICIAN:

None

5. FIRE FIGHTING MEASURES

Flash point °C Not applicable
 Flash point °F Not applicable
 FLASH POINT METHOD: Not applicable
 AUTOIGNITION: Not applicable
 EXTINGUISHING MEDIA: Water fog, carbon dioxide, foam, dry chemical

FIRE FIGHTING INSTRUCTIONS: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH approved (or equivalent) and full protective gear. Prevent extinguishing media run off from entering drains, sewers, and bodies of water.

HAZARDOUS DECOMPOSITION PRODUCTS: Normal combustion forms carbon dioxide, water vapor and may produce oxides of nitrogen. Incomplete combustion can produce carbon monoxide.

6. ACCIDENTAL RELEASE MEASURES

VALENT EMERGENCY PHONE NUMBER: (800) 892-0099
CHEMTREC EMERGENCY PHONE NUMBER: (800) 424-9300

CONTAINMENT: Reduce airborne dust. Avoid runoff into storm sewers or other bodies of water.

CLEANUP: Clean up spill immediately. Vacuum or sweep up material and place in a chemical waste container. Wash area with soap and water. Pick up wash liquid with additional absorbent and place in a chemical waste container.

7. HANDLING AND STORAGE

HANDLING: Wear protective clothing and equipment when handling this product. Goggles or protective eyewear, gloves, long-sleeved shirt, long pants, socks and shoes are appropriate. Avoid contact with eyes, skin or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

STORAGE: Keep pesticide in original container. Do not store or transport near food or feed. Do not contaminate food or feed. Do not put concentrate into food or drink containers. Do not dilute concentrate in food or drink containers. Store in a cool, dry place, away from heat, flame and strong acids.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

EYES & FACE: Do not get this material in your eyes. Eye contact can be avoided by wearing protective eyewear.

RESPIRATORY PROTECTION: Use this material only in well ventilated areas. If ventilation is not adequate to keep airborne concentrations below recommended exposure standards, approved respiratory protection should be worn.

SKIN & HAND PROTECTION: Avoid contact with skin or clothing. Skin contact can be minimized by wearing protective clothing including gloves.

EXPOSURE LIMITS

Chemical name	ACGIH Exposure Limits	OSHA PEL Exposure Limits
Silicon dioxide 112926-00-8 7631-86-9	None	6 mg/m3 (REL):(NIOSH)

Kaolin clay CAS No. 1332-58-7	TWA: 2 mg/m ³ particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction TWA: 10 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction
Quartz - Crystalline Silica CAS No. 14808-60-7	2 mg/m ³ (Respirable Fraction) 8 hr. TWA	0.1mg/m ³ (Respirable Fraction)
Titanium Dioxide (Naturally Occurring) CAS No. 13463-67-7	10 mg/m ³ (Total Dust) TWA 8 hr.	15 mg/m ³ (Total Dust) TWA 8r.
Sodium borate	TWA: 2 mg/m ³ inhalable particulate matter STEL: 6 mg/m ³ inhalable particulate matter	(vacated) TWA: 10 mg/m ³
Toluene	TWA: 20 ppm	TWA: 200 ppm Ceiling: 300 ppm (vacated) STEL: 150 ppm (vacated) STEL: 560 mg/m ³ (vacated) TWA: 100 ppm (vacated) TWA: 375 mg/m ³
Particulates not otherwise regulated	None	15 mg/m ³ Respirable fraction 5 mg/m ³

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Powder	Vapor pressure	Not determined
Physical State	Solid	Vapor density	Not determined
Color	Off-white	Specific Gravity	Not determined
Odor	Not determined	Water solubility	Dispersible in water
pH	7.9 @ 24° C; 1% suspension	Solubility in other solvents	Not determined
Melting point / freezing point	Not determined	Partition coefficient	Not determined
Boiling point / boiling range	Not determined	Autoignition temperature	Not determined
Flash point	Not Applicable	Decomposition temperature	Not determined
Evaporation rate	Not determined	Viscosity	Not determined
Flammability (solid, gas)	Not determined	Explosive properties	Not determined
Flammability Limits in Air:		Oxidizing properties	Not determined
Upper flammability limits	Not Applicable	Liquid Density	Not determined
Lower flammability limits	Not Applicable	Bulk density	11.6 lb/ft ³

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY:

Oral Toxicity LD ₅₀ (rats)	> 5000 mg/kg	EPA Tox Category	IV
Dermal Toxicity LD ₅₀ (rats)	> 5000 mg/kg	EPA Tox Category	IV
Inhalation Toxicity LC ₅₀ (rats)	> 2.13 mg/mL	EPA Tox Category	IV
Eye Irritation (rabbits)	Eye irritation reversible within 7 days	EPA Tox Category	III
Skin Irritation (rabbits)	Mild or slight skin irritation at 72 hours	EPA Tox Category	IV
Skin Sensitization (guinea pigs)	Not a sensitizer	EPA Tox Category	N/A

TOXICITY OF PYRIPROXYFEN TECHNICAL

CARCINOGENICITY: Pyriproxyfen Technical has been tested in chronic studies in mice and rats. No oncogenic response was produced.

DEVELOPMENTAL TOXICITY: Pyriproxyfen Technical is not a teratogenic compound in rats or rabbits. The NOAEL for maternal and embryotoxicity in rat was 100 mg/kg body weight/day.

REPRODUCTION: In a dietary rat reproduction study with Pyriproxyfen Technical, there was no effect on fertility or reproduction.

MUTAGENICITY: Pyriproxyfen Technical was negative in the following tests for mutagenicity.: Ames Assay with and without S9, unscheduled DNA synthesis in HeLa S3 cells, *in vitro* gene mutation in V79 Chinese hamster cells, and *in vitro* chromosomal aberration in Chinese hamster ovary cells.

12. ECOLOGICAL INFORMATION

AVIAN TOXICITY:

Pyriproxyfen Technical is practically non-toxic to avian species. Test results include:

- Oral LD₅₀ Mallard Duck: > 2000 mg/kg
- Oral LD₅₀ Bobwhite Quail: > 2000 mg/kg
- Dietary LC₅₀ Mallard Duck: > 5200 ppm
- Dietary LC₅₀ Bobwhite Quail: > 5200 ppm
- Reproduction Bobwhite Quail: NOEC = 600 ppm
- Reproduction Mallard Duck: NOEC = 600 ppm

AQUATIC ORGANISM TOXICITY: Pyriproxyfen Technical is moderately to highly toxic to fish and moderately to very highly toxic to aquatic invertebrate species. Test results include:

- Freshwater species:
- LC₅₀ (96 hr) Bluegill Sunfish: > 270 µg/L
 - LC₅₀ (96 hr) Rainbow Trout: > 325 µg/L
 - LC₅₀ (21 day) Rainbow Trout: 90 µg/L
 - LC₅₀ (96 hr) Carp: 450 µg/L
 - LC₅₀ (96 hr) Killifish: 2660 µg/L
 - EC₅₀ (48 hr) Daphnia magna: 400 µg/L
 - MATC (21 day) Daphnia magna: 20 ppt
 - MATC (Early Life Cycle) Rainbow Trout: 5.4 µg/L

- Estuarine species:
- LC₅₀ (96 hr) Sheepshead Minnow: > 1.02 ppm
 - LC₅₀ (96 hr) Mysid Shrimp: 65 ppb
 - EC₅₀ (96 hr) Oyster Shell Deposition: 92 ppb

OTHER NON-TARGET ORGANISM TOXICITY:

Pyriproxyfen Technical is practically non-toxic to bees. The acute contact LC₅₀ in bees was greater than 100 µg/bee.

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHODS: Check government regulations and local authorities for approved disposal of this material. Dispose of in accordance with applicable laws and regulations.

14. TRANSPORTATION INFORMATION

DOT (ground) SHIPPING NAME: Not regulated for domestic ground transport by U.S. DOT
EMERGENCY RESPONSE

ICAO/IATA SHIPPING NAME: UN 3077 Environmentally Hazardous Substance, Solid, N.O.S. (Pyriproxyfen), 9, III, Marine Pollutant

REMARKS:
 •Single or inner packaging less than 5 L (liquid) or 5 Kg net (solids) excepted from Dangerous Goods regulations – see IATA Special Provision A197
 •For US shipping, Emergency Response Guidebook No. 171

IMDG SHIPPING NAME: UN 3077 Environmentally Hazardous Substance, Solid, N.O.S. (Pyriproxyfen), 9, III, Marine Pollutant

REMARKS:
 •Single or inner packaging less than 5 L (liquid) or 5 Kg net (solids) excepted from Dangerous Goods regulations – see IMDG 2.10.2.7

15. REGULATORY INFORMATION

Pesticide products in the U.S. are registered by the EPA under FIFRA and are subject to certain labeling requirements under federal pesticide law. These requirements may differ from the classification criteria and hazard information required by OSHA GHS for safety data sheets, and for workplace labels of non-pesticide chemicals. The following is the hazard information as required on the FIFRA pesticide label:

EPA FIFRA SIGNAL WORD: CAUTION

- *Causes moderate eye irritation.*
- *Harmful if inhaled or absorbed through skin.*
- *Avoid contact with eyes or clothing.*
- *Avoid breathing dust or spray mist.*

PESTICIDE REGULATIONS: All pesticides are governed under FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act). Therefore, the regulations presented below are pertinent only when handled outside of the normal use and applications of pesticides. This includes waste streams resulting from manufacturing/formulation facilities, spills or misuse of products, and storage of large quantities of products containing hazardous or extremely hazardous substances.

U.S. FEDERAL REGULATIONS: Ingredients in this product are reviewed against an inclusive list of federal regulations. Therefore, the user should consult appropriate authorities. The federal regulations reviewed include: Clean Water Act, SARA, CERCLA, RCRA, DOT, TSCA and OSHA. If no components or information is listed in the space below this paragraph, then none of the regulations reviewed are applicable.

Sodium methyl oleoyl taurate

TSCA Inventory List - Present

Sodium borate

TSCA Inventory List - *

Toluene

Clean Water Act - Hazardous Substances Present
 Clean Water Act Section 307 Present
 SARA 313 Chemicals 1.0% de minimis concentration
 CERCLA Reportable Quantity (RQ): 1000 lb, 454 kg

Sodium sulfate
TSCA Inventory List - *

Sodium oleate
TSCA Inventory List - *

Sodium chloride
TSCA Inventory List - *
TSCA Inventory List - Present

SARA (311, 312):
 Immediate Health: Yes
 Chronic Health: Yes
 Fire: No
 Sudden Pressure: No
 Reactivity: No

STATE REGULATIONS: Each state may promulgate standards more stringent than the federal government. This section cannot encompass an inclusive list of all state regulations.

New Jersey Right To-Know

Amorphous synthetic silica gel CAS No. 112926-00-8
 Kaolin clay CAS No. 1332-58-7
 Toluene CAS No. 108-88-3

Pennsylvania Right To-Know

Kaolin clay CAS No. 1332-58-7
 Toluene CAS No. 108-88-3

Rhode Island Right To Know

Kaolin clay CAS No. 1332-58-7
 Toluene CAS No. 108-88-3

Michigan

Critical Materials List 100 lb Annual usage threshold

California Proposition 65

Carcinogenic substance
 Ethylene oxide CAS No. 75-21-8

Developmental toxicity:
 Toluene CAS No. 108-88-3
 Ethylene Glycol CAS No. 107-21-1
 Ethylene oxide CAS No. 75-21-8

Female reproductive toxin
 Ethylene oxide CAS No. 75-21-8

Male reproductive toxin
 Ethylene oxide CAS No. 75-21-8

For information regarding potential adverse health effects from exposure to this product, refer to Sections 2 and 11.

16. OTHER INFORMATION

REASON FOR ISSUE: General SDS updates
SDS NO.: 0073
EPA REGISTRATION NUMBER: 59639-115
REVISION NUMBER: 3
REVISION DATE: 06/01/2021
SUPERCEDES DATE: 08/21/2020
RESPONSIBLE PERSON(S): Valent U.S.A. LLC, Corporate EH&S

The information provided in this Safety Data Sheet (SDS) is provided in good faith and believed to be accurate at the

time of preparation of the SDS. However, to the extent consistent with applicable law, Valent U.S.A. LLC and its subsidiaries or affiliates extend no warranties, make no representations, and assume no responsibility as to the accuracy, suitability, or completeness of such information. Additionally, to the extent consistent with applicable law, neither Valent U.S.A. LLC nor any of its subsidiaries or affiliates represents or guarantees that this information or product may be used without infringing the intellectual property rights of others. Except to the extent a particular use and particular information are expressly stated on the product label, it is the users' own responsibility to determine the suitability of this information for their own particular use of this product. If necessary, contact Valent U.S.A. LLC to confirm that you have the most current product label and SDS.

This SDS provides important health, safety, and environmental information for employers, employees, emergency responders and others handling large quantities of the product in activities generally other than product use as required by the Occupational Health and Safety Act (29 CFR 1910.1200, "Hazcom").

The product label provides information specifically for product use in the ordinary course. All necessary hazard classification and appropriate precautionary use, storage, and disposal information is set forth on that label or labeling accompanying the pesticide or to which reference is made on the label.

2021 Valent U.S.A. LLC