

Bayer CropScience LP P.O. Box 12014 2 T.W. Alexander Drive Research Triangle Park, North Carolina 27709 1-866-99BAYER (1-866-992-2937)

LUNA® SENSATION

For control of Alternaria Rot, Black Rot, Brooks Fruit Spot, Grey Mold and Quince Rust in Apple

EPA Reg. No. 264-1090

PRODUCT BULLETIN

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATES OF CALIFORNIA, CONNECTICUT, DELAWARE, IDAHO, ILLINOIS, INDIANA, MAINE, MARYLAND, MASSACHUSETTS, MICHIGAN, MINNESOTA, NEW JERSEY, NORTH CAROLINA, OHIO, OREGON, PENNSYLVANIA, RHODE ISLAND, VERMONT, VIRGINIA, WASHINGTON, WEST VIRGINIA, AND WISCONSIN

FIFRA Section 2(ee) Recommendation: This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by the EPA. It is a violation of federal law to use this product in a manner inconsistent with its label. This product bulletin should be in the possession of the user at the time of application of the product. All applicable directions, restrictions and precautions on the EPA registered label are to be followed.

DIRECTIONS FOR USE

APPLE		
Disease Control	Application Rate	Product Instructions
Alternaria Rot (Alternaria spp.)	4.0 to 5.8 fl oz/acre	Begin applications preventatively, Applications should be made on 7- to 14-day interval depending upon disease conditions. When disease pressure is severe, use the higher rates and/or shorter intervals.
Black rot (Botryosphaeria obtusa)		
Brooks Fruit Spot (Mycosphaerella pomi)		Refer to University and/or extension guidelines for best application timings.
Grey Mold (<i>Botrytis cinerea</i>)		
Quince Rust (Gymnosporangium clavipes)		

Restrictions: Do not apply more than 21.0 fl oz of LUNA SENSATION per acre per season. Do not make more than 4 applications per season. Do not apply LUNA SENSATION within 14 days of harvest. Do not apply with aerial application equipment. To limit the potential for development of disease resistance to these fungicide classes, do not make more than 2 sequential applications of LUNA SENSATION or any Group 7 or Group 11 containing fungicide before rotating with a fungicide from a different Group.

For <u>MEDICAL</u> And <u>TRANSPORTATION</u> Emergencies <u>ONLY</u> Call 24 Hours A Day 1-800-334-7577 For <u>PRODUCT USE</u> Information Call 1-866-99BAYER (1-866-992-2937)

As with any crop-protection product, always read and follow label directions. For additional information call toll-free 1-866-99BAYER (1-866-992-2937).