

| | | | |
|--------------|-------|----|-----------|
| Cyflumetofen | Group | 25 | Acaricide |
|--------------|-------|----|-----------|

Supplemental Label

Nealta®

Miticide

For use in stone fruit

This supplemental label expires June 19, 2023, and must not be used or distributed after this date.

Active Ingredient:

cyflumetofen: (2-methoxyethyl(*RS*)-2-(4-*tert*-butylphenyl)-2-cyano-3-oxo-3-(α,α,α -trifluoro-*o*-tolyl)propionate)..... 18.7%

Other Ingredients:..... 81.3%

Total:..... 100.0%

Nealta® miticide contains 1.67 pounds of cyflumetofen per gallon.

EPA Reg. No. 7969-336
CAUTION/PRECAUCION

Directions For Use

- It is a violation of federal law to use this product in a manner inconsistent with its labeling.
- The supplemental labeling and the entire **Nealta** container label, EPA Reg. No. 7969-336, must be in possession of the user at the time of application.
- Read the label affixed to the container for **Nealta** before applying.
- Use of **Nealta** according to this labeling is subject to the use precautions and limitations imposed by the label affixed to the container for **Nealta**.

tetranychid mites. Because **Nealta** is not systemic and has no translaminar activity, thorough coverage of plant surfaces is necessary for effective control. **Nealta** is not effective on non-tetranychid mites such as broad mite, flat mite, or rust mite.

Refer to the **Nealta** product container label for **Pests Controlled**, **IPM**, and **Resistance Management** information.

Application Instructions

Refer to the **Nealta** container label for additional application instructions and restrictions.

Product Information

Nealta is a suspension concentrate formulation containing the active ingredient cyflumetofen, a member of the beta-ketonitrile class of chemistry.

When used as directed, **Nealta** provides knockdown and residual control of tetranychid mites on stone fruit when used according to this label. **Nealta** is a highly active contact miticide on egg, nymph, and adult stage

Crop-specific Application Instructions

| Crop | Pest | Product Use Rate per Application (fl ozs/A) | Minimum Time from Application to Harvest (PHI) days |
|--|--|---|---|
| Stone Fruit Group Apricot Apricot, Japanese Capulin Cherry (black, Nanking, sweet, tart) Jujube, Chinese Nectarine Peach Plum (American, beach, Canada, cherry, Chickasaw, Damson, Japanese, Klamath) Prune Plumcot Sloe | See Nealta container label for list of pests controlled | 13.7 | 7 |

For knockdown and residual control of mites in stone fruits, apply **Nealta**[®] miticide at first sign of infestation.

Apply **Nealta** in at least 100 gallons of spray solution per acre; for **small nonbearing trees**, apply in at least 50 gallons of spray solution per acre. Applying **Nealta** at spray volumes lower than directed can make it harder to obtain thorough crop coverage and may reduce performance.

For maximum effectiveness, apply **Nealta** at the first sign of mites, and before the population increases. Application should be timed to coincide with locally recommended treatment threshold levels in developing mite populations.

Restrictions

DO NOT make **Nealta** applications at intervals shorter than 14 days.

DO NOT make more than 2 applications per crop per year.

DO NOT use any adjuvants other than NIS, at a rate not to exceed 1 pt/100 gallons (0.125% v/v).

Resistance Management. DO NOT make more than 1 **Nealta** application before using an effective miticide with a different mode of action.

DO NOT apply more than 27.4 fl ozs/A (0.36 lbs cyflumetofen/A) per crop per year.

Conditions of Sale and Warranty

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of BASF CORPORATION ("BASF") or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S EXCLUSIVE REMEDY AND BASF'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, EXEMPLARY, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

BASF and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of BASF.

1108

Nealta is a registered trademark of BASF.

© 2020 BASF Corporation
All rights reserved.

007969-00336.20181023c.NVA 2018-04-390-0086

BASF Corporation
26 Davis Drive
Research Triangle Park, NC 27709



We create chemistry