

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 06/11/2015 Version: 1.0

SECTION 1: Identification of the subs	stance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Mixture
Product name	: AUDIT [®] 1:1 HERBICIDE
Other means of identification	: EPA Reg. No. 66330-418
	ance or mixture and uses advised against
Use of the substance/mixture	: Herbicide
1.3. Details of the supplier of the safety d	lata sheet
Arysta LifeScience North America LLC 15401 Weston Parkway, Suite 150 Cary, NC 27513 - USA	
1.4. Emergency telephone number	
Emergency number	: Exposure Calls (PROSAR): +1-866-303-6952 or +1-651-603-3432 (international) Spill Calls (CHEMTREC) (Contract # CCN1779): +1-800-424-9300 or +1-703-527-3887 (international)
SECTION 2: Hazards identification	
2.1. Classification of the substance or mi	xture
GHS-US classification	
Carc. 1A H350	
Full text of H-statements: see section 16	
2.2. Label elements	
GHS-US labelling	
Hazard pictograms (GHS-US)	: GH508
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	: H350 - May cause cancer
Precautionary statements (GHS-US)	 P201 - Obtain special instructions before use P202 - Do not handle until all safety precautions have been read and understood P280 - Wear eye protection, protective gloves P308+P313 - If exposed or concerned: Get medical advice/attention P405 - Store locked up P501 - Dispose of contents/container to an authorised waste collection point
2.3. Other hazards	
Other hazards not contributing to the classification	: Combustible dust.
2.4. Unknown acute toxicity (GHS-US)	
0.33 percent of the mixture consists of ingredient 0.33 percent of the mixture consists of ingredient 0.33 percent of the mixture consists of ingredient	s) of unknown acute toxicity (Dermal) s) of unknown acute toxicity (Inhalation (Dust/Mist))

SECTION 3: Composition/information on ingredients

Substance 3.1.

Not applicable

3.2. **Mixture**

Exact concentrations withheld as trade secret.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS-US classification
Thifensulfuron methyl	(CAS No) 79277-27-3	20 – 30	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Tribenuron methyl	(CAS No) 101200-48-0	20 – 30	Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Titanium dioxide	(CAS No) 13463-67-7	< 1	Carc. 2, H351
Silicon dioxide (cristobalite)	(CAS No) 14808-60-7	< 1	Carc. 1A, H350

Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	 Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.
First-aid measures after inhalation	 Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
First-aid measures after skin contact	Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse.
First-aid measures after eye contact	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
First-aid measures after ingestion	Do NOT induce vomiting. Rinse mouth. Get medical advice/attention.
4.2. Most important symptoms and effects	s, both acute and delayed
Symptoms/injuries after inhalation	May cause cancer by inhalation.
4.3. Indication of any immediate medical a	ttention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	Carbon dioxide. Dry chemical. Foam. Water fog.
Unsuitable extinguishing media	Do not use a solid water stream as it may scatter and spread fire.
5.2. Special hazards arising from the subs	tance or mixture
Fire hazard :	Combustible.
Explosion hazard	Dust may form explosive mixture in air.
Reactivity	No dangerous reactions known.
5.3. Advice for firefighters	
•	Do not allow run-off from fire fighting to enter drains or water courses. Exercise caution when fighting any chemical fire.
Protection during firefighting	Do not enter fire area without proper protective equipment, including respiratory protection. Use self-contained breathing apparatus.
SECTION 6: Accidental release measu	Ires
6.1. Personal precautions, protective equi	
	Avoid creating or spreading dust. Avoid contact with skin and eyes.
6.1.1. For non-emergency personnel	
· · · · · · · · · · · · · · · · · · ·	Chemical goggles or safety glasses. Dust impervious gloves.
Emergency procedures	Evacuate unnecessary personnel.
Second	Chamical gaggles or safety glasses. Dust impensious glaves
Protective equipment : Emergency procedures :	Chemical goggles or safety glasses. Dust impervious gloves.
6.2. Environmental precautions	ublic waters. Notify authorities if product enters sowers or public waters
	ublic waters. Notify authorities if product enters sewers or public waters.
6.3. Methods and material for containment	
	Avoid generating dust. Eliminate all ignition sources.
Methods for cleaning up	: Sweep spilled substance into containers; if appropriate, moisten first to prevent dusting.
6.4. Reference to other sections	
Section 13: disposal information. Section 7: safe ha	andling. Section 8: personal protective equipment.
06/11/2015	EN (English) SDS ID: ALS_1506006 2/1

AUDIT® 1:1 HERBICIDE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.
Hygiene measures	: Always wash your hands immediately after handling this product, and once again before leaving the workplace.
7.2. Conditions for safe storage, includi	ng any incompatibilities
Storage conditions	: Keep container closed when not in use. Do not store near food, foodstuffs, drugs, or potable water supplies.
Incompatible products	: Strong oxidizing agents. Acids.
Heat and ignition sources	: Keep away from heat, sparks and flame.
Prohibitions on mixed storage	: Incompatible materials.
Storage area	: Store in dry, cool, well-ventilated area.

Specific end use(s) 7.3.

Herbicide.

SECTION 8: Exposure controls/personal protection

3.1. Control parameters		
AUDIT [®] 1:1 HERBICIDE		
ACGIH	Not applicable	
OSHA	Not applicable	
Thifensulfuron methyl (7927	7-27-3)	
ACGIH	Not applicable	
OSHA	Not applicable	
Tribenuron methyl (101200-4	8-0)	
ACGIH	Not applicable	
OSHA	Not applicable	
Silicon dioxide (cristobalite)	(14808-60-7)	
ACGIH	ACGIH TWA (mg/m³)	0.025 mg/m ³
ACGIH	Remark (ACGIH)	(respirable dust)
OSHA	OSHA PEL (TWA) (ppm)	250 mppcf
OSHA	Remark (OSHA)	(3) See Table Z-3.
Titanium dioxide (13463-67-7)	
ACGIH	ACGIH TWA (mg/m³)	10 mg/m ³
OSHA	OSHA PEL (TWA) (mg/m³)	15 mg/m³
3.2. Exposure controls		
ppropriate engineering control	s : Avoid dispersal of dust in the air (ie outdoors or in a well-ventilated area	e, clearing dust surfaces with compressed air). Use only a.
Personal protective equipment	: Avoid all unnecessary exposure.	

- Hand protection : Dust impervious gloves.
- Eye protection Respiratory protection

- : Where excessive dust may result, use approved respiratory protection equipment. Use air-purifying respirator equipped with particulate filtering cartridges. Other information
 - : Do not eat, drink or smoke when using this product.

SECTION 9: Physical	and chemical properties	
9.1. Information on ba	asic physical and chemical properties	
Physical state	: Solid	
Appearance	: Granules	
Colour	: Tan	

: Chemical goggles or safety glasses.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to rederar register / vol. / /, No. 50 / Monday,	March 20, 2012 / Rules and Regulations
Odour	: Slight
Odour threshold	: No data available
pH	: 5.3 (1% suspension)
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosive limits	: No data available
Explosive properties	: Dust may form explosive mixture in air.
Oxidising properties	: No data available
Vapour pressure	: No data available
Relative density	: No data available
Relative vapour density at 20 °C	: No data available
Density	: 0.642 g/cm ³
Solubility	 Water: Solubility in water of component(s) of the mixture : Thifensulfuron methyl: 23.6 g/l
Log Pow	: No data available
Log Kow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	
No additional information available	
SECTION 10: Stability and reactivity	

SECTION 10. Stability and reactivity
10.1. Reactivity
No dangerous reactions known.
10.2. Chemical stability
Stable under normal conditions.
10.3. Possibility of hazardous reactions
Hazardous polymerization will not occur.
10.4. Conditions to avoid
Heat. Avoid dust production.
10.5. Incompatible materials
Strong oxidizing agents. Acids.

10.6. Hazardous decomposition products

Thermal decomposition generates : Carbon oxides (CO, CO2). Nitrogen oxides. Sulphur oxides. Calcium oxide. Burning produces irritating, toxic and noxious fumes.

SECTION 11: Toxicological information	on		
11.1. Information on toxicological effects			
Likely routes of exposure	: Inhalation; Skin and eye contact		
Acute toxicity	: Not classified.		
AUDIT [®] 1:1 HERBICIDE			
LD50 oral rat	> 5000 mg/kg		
LD50 dermal rat	> 5000 mg/kg		
LC50 inhalation rat (mg/l)	> 2.05 mg/l/4h		
Thifensulfuron methyl (79277-27-3)			
LD50 oral rat	> 5000 mg/kg		
06/11/2015	EN (English)	SDS ID: ALS_1506006	4/1

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Thifensulfuron methyl (79277-27-3)	
LD50 dermal rabbit	> 2000 mg/kg
Tribenuron methyl (101200-48-0)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
Titanium dioxide (13463-67-7)	
LD50 oral rat	> 5000 mg/kg
LC50 inhalation rat (mg/l)	> 6.82 mg/l/4h
Skin corrosion/irritation	: Not classified.
	(Slightly irritating to skin)
Serious eye damage/irritation	: Not classified.
, ,	(Slightly irritant but not relevant for classification)
Respiratory or skin sensitisation	: Not classified.
	(No sensitizing reaction was observed for guinea pigs)
Germ cell mutagenicity	: Not classified.
	Neither in vitro nor in vivo tests on Thifensulfuron-methyl demonstrated mutagenic effects.
	Tribenuron-methyl did not produce genetic damage in bacterial or mammalian cell cultures or in
	animals.
Carcinogenicity	: May cause cancer. Repeated overexposure to thifensulfuron-methyl may cause effects to liver, gall bladder, and
	blood chemistry. Repeated overexposure to tribenuron methyl may cause effects to body weight loss, alteration in clinical chemical parameters and testicular atrophy (considered to be biologically insignificant). No carcinogenic effects were observed in animal tests with thifensulfuron-methyl. Tribenuron methyl produced an increased incidence of mammary tumors in female rats at dose levels also producing other significant effects. This product contains a clay. Crystalline silica (e.g. quartz) and titanium dioxide are a naturally occurring components of clay. Inhalation of crystalline silica may cause pulmonary fibrosis (silicosis). Crystalline silica has been classified by IARC as carcinogenic to humans (Group 1), by the U.S. National Toxicology Program as a known human carcinogen and by ACGIH as a suspected human carcinogen (A2). Inhalation of titanium dioxide may cause irritation to the respiratory system. IARC lists exposure to titanium dioxide as a class 2B carcinogen, the category for limited evidence for carcinogenicity in humans.
Silicon dioxide (cristobalite) (14808-60-7)	
IARC group	1 - Carcinogenic to humans, Inhalation of dust
Titanium dioxide (13463-67-7)	
NOAEL (chronic, oral, animal/male, 2 years)	5 mg/kg bodyweight rat
IARC group	2B - Possibly carcinogenic to humans, as dust
Reproductive toxicity	: Not classified.
	Animal tests with thifensulfuron-methyl have not demonstrated reproductive effects. For tribenuron-methyl no reproductive effects were observed in rats.
Specific target organ toxicity (single exposure)	: Not classified.
Specific target organ toxicity (repeated	: Not classified.
exposure)	Repeated ingestion exposures to thifensulfuron-methyl caused decreased body and organ weights, and some blood chemistry changes, including increased blood urea nitrogen and
	body weight loss and effect liver and thyroid.
Aspiration hazard Symptoms/injuries after inhalation	 decreased protein and globulins. Repeated ingestion exposure to tribenuron-methyl may cause body weight loss and effect liver and thyroid. Not classified. May cause cancer by inhalation.

SECTION 12: Ecological information			
12.1. Toxicity			
Ecology - water :	Very toxic to aquatic life with long lasting e	ffects.	
Thifensulfuron methyl (79277-27-3)			
LC50 fish 1	> 100 mg/l 96 h Bluegill, Rainbow trout		
EC50 Daphnia 1	470 mg/l 48 h		
Tribenuron methyl (101200-48-0)			
LC50 fish 1	> 1000 mg/l 96 h Bluegill, Rainbow trout		
EC50 Daphnia 1	720 mg/l 48 h		
06/11/2015	EN (English)	SDS ID: ALS_1506006	5/1

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.2. Persistence and degradability	
AUDIT [®] 1:1 HERBICIDE	
Persistence and degradability	May cause long-term adverse effects in the environment.
2.3. Bioaccumulative potential	
No additional information available	
2.4. Mobility in soil	
Thifensulfuron methyl (79277-27-3)	
	13 - 55 Koc
2.5. Other adverse effects	. No known coolerial demose caused by this product
ffect on the global warming	: No known ecological damage caused by this product.
SECTION 13: Disposal consideration	ons
3.1. Waste treatment methods	
Vaste treatment methods	: Do not dispose in household garbage.
ewage disposal recommendations	: Do not dispose of waste into sewer.
Vaste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
cology - waste materials	: Avoid release to the environment.
SECTION 14: Transport informatior	
Department of Transportation (DOT)	
n accordance with DOT	
lot considered a dangerous good for transport	regulations
dditional information	-
ther information	: No supplementary information available.
DR	
ransport document description	: UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Thifensulfuron
	methyl, Tribenuron Methyl), 9, III, (E)
Packing group (ADR)	
Class (ADR)	: 9 - Miscellaneous dangerous substances and articles
lazard identification number (Kemler No.) Classification code (ADR)	: 90 : M7
Danger labels (ADR)	
5	: 9 - Miscellaneous dangerous substances and articles
<i>. ,</i>	9 - Miscellaneous dangerous substances and articles
	9 - Miscellaneous dangerous substances and articles
	9 - Miscellaneous dangerous substances and articles
Drange plates	 9 - Miscellaneous dangerous substances and articles 90
	90
Drange plates	90
unnel restriction code (ADR)	90 3077
unnel restriction code (ADR) imited quantities (ADR)	90 3077 E
Drange plates Funnel restriction code (ADR) imited quantities (ADR) Excepted quantities (ADR)	90 3077 : E : 5kg
Drange plates Funnel restriction code (ADR) imited quantities (ADR) Excepted quantities (ADR)	90 3077 : E : 5kg
Drange plates Funnel restriction code (ADR) imited quantities (ADR) Excepted quantities (ADR) Fransport by sea JN-No. (IMDG)	 90 3077 E 5kg E1 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Thifensulfuron methyl,
Drange plates Funnel restriction code (ADR) imited quantities (ADR) Excepted quantities (ADR) Fransport by sea JN-No. (IMDG) Proper Shipping Name (IMDG)	 90 3077 E 5kg E1 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Thifensulfuron methyl, Tribenuron Methyl)
Drange plates Funnel restriction code (ADR) imited quantities (ADR) Excepted quantities (ADR) Fransport by sea JN-No. (IMDG)	 90 3077 E 5kg E1 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Thifensulfuron methyl,

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations



Air transport

UN-No. (IATA) Proper Shipping Name (IATA) Class (IATA) Packing group (IATA) Marine Pollutant

: 3077

- : Environmentally hazardous substance, solid, n.o.s. (Thifensulfuron methyl, Tribenuron Methyl)
- : 9 Miscellaneous Dangerous Goods
- : III Minor Danger



SECTION 15: Regulatory information
15.1. US Federal regulations
Thifensulfuron methyl (79277-27-3)
Not listed on the United States TSCA (Toxic Substances Control Act) inventory
Tribenuron methyl (101200-48-0)
Not listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313
Silicon dioxide (cristobalite) (14808-60-7)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
Titanium dioxide (13463-67-7)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
15.2. International regulations
CANADA
Thifensulfuron methyl (79277-27-3)
Not listed on the Canadian DSL (Domestic Substances List) inventory.

Tribenuron methyl (101200-48-0)

Titanium dioxide (13463-67-7)

Not listed on the Canadian DSL (Domestic Substances List) inventory.

Silicon dioxide (cristobalite) (14808-60-7)

Listed on the Canadian DSL (Domestic Substances List) inventory.

Listed on the Canadian DSL (Domestic Substances List) inventory.

EU-Regulations

Thifensulfuron methyl (79277-27-3)
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)
Tribenuron methyl (101200-48-0)
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)
Silicon dioxide (cristobalite) (14808-60-7)
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)
Titanium dioxide (13463-67-7)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Carc. 1A H350

Aquatic Chronic 1 H410 Full text of H-statements: see section 16

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Thifensulfuron methyl (7927	-27-3)
Not listed on the Canadian No	-Domestic Substances List (NDSL).
Tribenuron methyl (101200-	i-0)
Not listed on the Canadian No	-Domestic Substances List (NDSL).
Silicon dioxide (cristobalite	14808-60-7)
Listed on PICCS (Philippines Listed on NZIOC (New Zealan Listed on the AICS (Australiar Listed on Taiwan National Ch Listed on the Korean ECL (Ex Listed on the Japanese ENCS	nventory of Chemical Substances) nical Inventory
Titanium dioxide (13463-67-	
Listed on IECSC (Inventory of Listed on the Japanese ENCS Listed on KECI (Korean Existi Listed on Taiwan National Ch	nical Inventory ventory of Chemicals and Chemical Substances)

15.3. US State regulations

Titanium dioxide (13463-67-7)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
Yes	No	No	No	

Tribenuron methyl (101200-48-0)

U.S. - New Jersey - Right to Know Hazardous Substance List

Silicon dioxide (cristobalite) (14808-60-7)

U.S. - New Jersey - Right to Know Hazardous Substance List

Titanium dioxide (13463-67-7)

U.S. - Minnesota - Hazardous Substance List

U.S. - New Jersey - Right to Know Hazardous Substance List

15.4. US EPA – FIFRA Regulations

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

Signal word (FIFRA) Hazard statements (FIFRA)

- : Caution.
- : Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing.

Some materials that are chemical resistant to this product are listed below. If you want more options follow the instructions for Category A on an EPA chemical resistance category selection chart.

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Chemical-resistant gloves, made of any waterproof material such as natural rubber.
- Shoes plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

Environmental hazards : Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 16: Other information	
Indication of changes	: Original Document.
Data sources	 European Chemicals Agency (ECHA) Registered Substances list. Accessed at http://echa.europa.eu/.
	Krister Forsberg and S.Z. Mansdorf, "Quick Selection Guide to Chemical Protective Clothing", Fifth Edition.
	OSHA 29CFR 1910.1200 Hazard Communication Standard.
	TSCA Chemical Substance Inventory. Accessed at http://www.epa.gov/oppt/existingchemicals/pubs/tscainventory/howto.html.
Abbreviations and acronyms	: ACGIH (American Conference of Governement Industrial Hygienists).
	ATE: Acute Toxicity Estimate.
	CAS (Chemical Abstracts Service) number.
	CLP: Classification, Labelling, Packaging.
	EC50: Environmental Concentration associated with a response by 50% of the test population.
	GHS: Globally Harmonized System (of Classification and Labeling of Chemicals.)
	LD50: Lethal Dose for 50% of the test population.
	OSHA: Occupational Safety & Health Administration.
	STEL: Short Term Exposure Limits.
	TSCA: Toxic Substances Control Act.
	TWA: Time Weight Average.
Other information	: None.

Full text of H-statements:

Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1		
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1		
Carc. 1A	Carcinogenicity, Category 1A		
Carc. 2	Carcinogenicity, Category 2		
Skin Sens. 1	Sensitisation — Skin, category 1		
H317	May cause an allergic skin reaction		
H350	May cause cancer		
H351	Suspected of causing cancer		
H400	Very toxic to aquatic life		
H410	Very toxic to aquatic life with long lasting effects		
ealth hazard	: 1 - Exposure could cause irritation but only minor residual		

injury even if no treatment is given.

NFPA fire hazard NFPA reactivity

- : 1 Must be preheated before ignition can occur.
- : 0 Normally stable, even under fire exposure conditions, and not reactive with water.



SDS US (GHS HazCom 2012)

SDS Prepared by: The Redstone Group, LLC. 6077 Frantz Rd. Suite 206 Dublin, Ohio, USA 43016 614.923.7472 www.redstonegrp.com

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product