



WILBUR-ELLIS®

Ideas to Grow With™

### GUARANTEED ANALYSIS

Sulfur (S) .....	2.00%
Zinc (Zn) .....	4.00%
4.00% Water Soluble Zinc	

DERIVED FROM: Zinc Sulfate complexed with Soy Protein Hydrolysate.

## KEEP OUT OF REACH OF CHILDREN PRECAUTION

Do not ingest. Avoid breathing dust, vapor or mist. Avoid contact with eyes, skin or clothing. Wash hands and affected areas thoroughly with soap and water after handling.

### FIRST AID

**IF SWALLOWED:** Rinse mouth. Call a doctor or poison control center if symptoms occur or you feel unwell. **IF INHALED:** Move person to fresh air and keep comfortable for breathing. Call a doctor or poison control center if symptoms occur or you feel unwell. **IF IN EYES:** Rinse with water for several minutes. Remove contact lenses, if present, then continue rinsing. Call a doctor or get medical attention if irritation occurs and persists. **IF ON SKIN:** Wash off with soap and water. Call a doctor or get medical attention if irritation occurs and persists.

For chemical spills, leaks, fire or exposure, call CHEMTREC: (800) 424-9300 or Poison Control Center: (800) 222-1222.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Store in a safe manner. Store in original container only and keep tightly sealed when not in use. Dispose of unused product and empty containers in accordance with federal, state and local regulations.

### GENERAL INFORMATION

**BENVIREO™ ZINC PLUS** is manufactured and designed for foliar applications on plants to prevent or correct zinc deficiencies that usually occur when plants are small and may limit crop growth and yields. **BENVIREO ZINC** is readily available and rapidly absorbed by the plant because of the natural complexing properties. It is designed for foliar, row or broadcast applications and is water soluble and non-toxic to plants when applied as directed.

**BENVIREO ZINC** is a yield-enhancing formulation that contains complexed zinc. **BENVIREO ZINC** is a proprietary formulation that provides a wide range of mixing ease with other fertilizers or chemicals.

### DIRECTIONS FOR USE

SHAKE WELL BEFORE USING. KEEP FROM FREEZING.

Dilute one part **BENVIREO ZINC** with 20 or more parts water. Apply using a spray method and in an adequate amount of water that will provide complete coverage of the plants. Use of a nonionic wetting agent may improve spray coverage of certain hard-to-wet plants. **Do Not Apply Undiluted.**

**BENVIREO ZINC** can be included in a regular spray program on crops. Consult with a Wilbur-Ellis representative on compatibility with other spray materials. The rate of application will depend on the crop, stage of growth, and severity of deficiency. The maximum recommended rates are for mature, full-sized plants. Reduce the rates proportionately when spraying smaller plants.

**BENVIREO ZINC** may be used on legumes, grain crops, root crops, cucurbits, cole crops, leafy vegetables, woody and herbaceous ornamentals, deciduous fruit, vine crops, tropical and subtropical fruit, many other crops, and turf.

**FIELD CROPS AND VEGETABLES:** Apply 2-24 fluid ounces per acre during periods of rapid growth or nutritional stress. The applications may be repeated 2 or more times throughout the growing season.

**CORN:** Apply 1 quart to 1 gallon per acre during periods of rapid growth or nutritional stress. The applications may be repeated 2 or more times throughout the growing season.

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.aapfco.org/metals.html>

**GRAPES AND BERRIES:** Make an application of 2-32 fluid ounces per acre after active growth begins. The applications may be repeated at intervals of 1 week or more throughout the vegetative growth period.

**SOYBEANS:** Apply 1 quart to 1 gallon per acre during periods of rapid growth or nutritional stress. The applications may be repeated 2 or more times throughout the growing season.

**TREE CROPS:** Make an application of 8-80 fluid ounces per acre after the beginning of active growth. The application may be repeated at 2 to 4-week intervals throughout the growing season. On deciduous trees, 2-80 fluid ounces may be applied in the oil sprays at the delayed dormant stage. Post-harvest application of 2-80 fluid ounces may be made while active, green leaves remain on the trees.

**TURF:** Apply 0.5-1.0 fluid ounce per 1,000 sq. ft. during periods of active growth.

**ORNAMENTAL TREES, SHRUBS, AND FLOWERING PLANTS:** Dilute at a rate of 32 fluid ounces in 10 or more gallons of water and spray to complete coverage.

**NUT TREES:** Make an application of 8-80 fluid ounces per acre after the beginning of active growth. The application may be repeated at 2 to 4-week intervals throughout the growing season.

### COMPATIBILITY

Always jar test new combinations for compatibility prior to field mixing.

Conditions of Sale and Limitation of Warranty and Liability:

**NOTICE:** Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using the product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of the product should be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of many different factors including, without limitation, manner of use or application, weather, combination with other products, or crop conditions. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Manufacturer and Seller harmless from any claims relating to such factors.

Seller warrants that this product conforms to the chemical description on the label. EXCEPT FOR THIS WARRANTY, THE PRODUCT IS FURNISHED "AS-IS," AND NEITHER SELLER NOR MANUFACTURER MAKES ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, WITH RESPECT TO THE SELECTION, PURCHASE OR USE OF THIS PRODUCT; SELLER AND MANUFACTURER SPECIFICALLY DISCLAIM ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Buyer and User accept all risks arising from any use of this product, including without limitation uses contrary to label instructions, under abnormal conditions, or under conditions not reasonably foreseeable to (or beyond the control of) Seller or Manufacturer.

To the extent permitted by law, neither Manufacturer nor Seller shall be liable for any incidental, consequential or special damages resulting from the use or handling of this product. THE EXCLUSIVE REMEDY OF THE BUYER OR USER, AND THE EXCLUSIVE LIABILITY OF MANUFACTURER AND SELLER, FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THIS PRODUCT, OR, AT THE ELECTION OF MANUFACTURER OR SELLER, THE REPLACEMENT OF THE PRODUCT.

These Conditions of Sale and Limitation of Warranty and Liability shall be interpreted in accordance with the laws of the State of California, excluding its conflicts of laws rules, and may not be amended by any oral or written agreement.

WILBUR-ELLIS logo and Ideas to Grow With are registered trademarks, and BenVireo and BenVireo logo are trademarks of Wilbur-Ellis Company LLC. The OMRI Listed Seal is a registered trademark of OMRI.

K-071019

Manufactured by: WILBUR-ELLIS COMPANY LLC  
7 E. Washington Ave., Yakima, WA 98903



**NET CONTENTS: BULK**  
WEIGHT PER GALLON: 9.45 POUNDS at 68°F