

Product Bulletin



Dow AgroSciences LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

Intrepid[®] 2F

EPA Reg. No. 62719-442

Special 2(ee) Recommendation[†]
(For Use and Distribution Only in the State of Maine)

Control of Lepidoptera Larvae Infesting Lowbush Blueberries

ATTENTION

†This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by EPA.

- It is a violation of federal law to use this product in a manner inconsistent with its labeling.
- Read the label affixed to the container for Intrepid[®] 2F insecticide before applying. Carefully follow all precautionary statements and applicable use directions except as specified below.
- Use of Intrepid 2F according to this Section 2(ee) recommendation is subject to all use precautions and limitations imposed by the label affixed to the container for Intrepid 2F.

Directions for Use

Refer to product label for General Use Precautions, Mixing and Application instructions.

Ground Application: Early in the season or on new plantings, use adequate water volumes per acre with conventional ground equipment to obtain thorough foliar coverage. Apply a minimum of 20 gallons per acre to densely foliated or difficult to cover crops to ensure thorough coverage. Equipment and spray volume should be calibrated to assure uniform coverage of infested parts of the crop.

Aerial Application: Apply a minimum of 10 gallons per acre.

Spray Adjuvants: Spreader/binders may help maximize coverage and distribution of the spray material in some situations.

®Trademark of Dow AgroSciences LLC

R846-061

Issued: 04/25/08

Initial printing..