

# **PROCLAIM**

Version Revision Date: SDS Number: This version replaces all previous versions. 0.0 06/27/2023 S140055135

#### **SECTION 1. IDENTIFICATION**

Product name : PROCLAIM Design code : A10324A

Product Registration number : 100-904

## Manufacturer or supplier's details

Company name of supplier : Syngenta Crop Protection, LLC

Address : Post Office Box 18300 Greensboro NC 27419

United States of America (USA)

Telephone : 1 800 334 9481 Telefax : 1 336 632 2192

E-mail address : sds.requests@syngenta.com

Emergency telephone : 1 800 888 8372

#### Recommended use of the chemical and restrictions on use

Recommended use : Insecticide

Restrictions on use : Restricted Use Pesticide

#### **SECTION 2. HAZARDS IDENTIFICATION**

# GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Combustible dust

Acute toxicity (Oral) : Category 4

Specific target organ toxicity

- single exposure

Category 1 (Nervous system)

Specific target organ toxicity

- repeated exposure

Category 1 (Nervous system)

### **GHS** label elements

Hazard pictograms :





Signal Word : Danger

Hazard Statements : May form combustible dust concentrations in air.

H302 Harmful if swallowed.

H370 Causes damage to organs (Nervous system).

H372 Causes damage to organs (Nervous system) through

prolonged or repeated exposure.



**PROCLAIM** 

Version Revision Date: SDS Number: This version replaces all previous versions. 0.0 06/27/2023 S140055135

Precautionary Statements : Prevention:

P260 Do not breathe dust.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON

CENTER/ doctor if you feel unwell. Rinse mouth.

P307 + P311 IF exposed: Call a POISON CENTER or doctor/

physician.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

#### Other hazards

May form combustible dust concentrations in air.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

# Components

Chemical name	CAS-No.	Concentration (% w/w)
sodium 2-[methyloleoylamino]ethane-	137-20-2	>= 5 - < 10
1-sulphonate		
emamectin benzoate	155569-91-8	5

Actual concentration is withheld as a trade secret

## **SECTION 4. FIRST AID MEASURES**

General advice : Have the product container, label or Safety Data Sheet with

you when calling the emergency number, a poison control

center or physician, or going for treatment.

If inhaled : Take the victim into fresh air.

If breathing is irregular or stopped, administer artificial

respiration.

Keep patient warm and at rest.

Call a physician or poison control center immediately.

In case of skin contact : Take off all contaminated clothing immediately.

Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes. Remove contact lenses.

Immediate medical attention is required.

If swallowed : If swallowed, seek medical advice immediately and show this

container or label.



**PROCLAIM** 

Version 0.0

Revision Date: 06/27/2023

SDS Number: S140055135

This version replaces all previous versions.

Do NOT induce vomiting.

Most important symptoms and effects, both acute and

delayed

Notes to physician

Lack of coordination

**Tremors** 

Dilatation of the pupil

This material is believed to enhance GABA activity in animals. It is probably wise to avoid drugs that enhance GABA activity (barbiturates, benzodiaziphines, valproic acid) in patients with

potentially toxic mectin exposure.

Toxicity can be minimized by early administration of chemical

absorbents (e.g. activated charcoal).

If toxicity from exposure has progressed to cause severe vomiting, the extent of resultant fluid and electrolyte imbalance

should be gauged.

Appropriate supportive parental fluid replacement therapy should be given, along with other required supportive measures as indicated by clinical signs, symptoms and

measurements.

## **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Extinguishing media - small fires

Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Extinguishing media - large fires

Alcohol-resistant foam

or

Water spray

Unsuitable extinguishing

media

Do not use a solid water stream as it may scatter and spread

Specific hazards during fire

fighting

Fire will spread by burning with a visible flame.

As the product contains combustible organic ingredients, fire

will produce dense black smoke containing hazardous

products of combustion (see section 10).

Exposure to decomposition products may be a hazard to

health.

Further information Do not allow run-off from fire fighting to enter drains or water

courses.

Cool closed containers exposed to fire with water spray.

Special protective equipment:

for fire-fighters

Wear full protective clothing and self-contained breathing

apparatus.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protec- : tive equipment and emer-

gency procedures

Refer to protective measures listed in sections 7 and 8.

Avoid dust formation.

Environmental precautions Do not flush into surface water or sanitary sewer system.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up Contain spillage, pick up with an electrically protected vacuum cleaner or by wet-brushing and transfer to a container for

disposal according to local regulations (see section 13). Do not create a powder cloud by using a brush or compressed



**PROCLAIM** 

Version 0.0 Revision Date: 06/27/2023

SDS Number: S140055135

This version replaces all previous versions.

air.

Clean contaminated surface thoroughly. Clean with detergents. Avoid solvents.

Retain and dispose of contaminated wash water.

## **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : This material is capable of forming flammable dust clouds in

air, which, if ignited, can produce a dust cloud explosion. Flames, hot surfaces, mechanical sparks and electrostatic discharges can serve as ignition sources for this material.

Electrical equipment should be compatible with the

flammability characteristics of this material. The flammability characteristics will be made worse if the material contains traces of flammable solvents or is handled in the presence of

flammable solvents.

Avoid contact with skin and eyes. When using do not eat, drink or smoke. For personal protection see section 8.

Conditions for safe storage

Keep containers tightly closed in a dry, cool and well-

ventilated place.

Keep out of the reach of children.

Keep away from food, drink and animal feedingstuffs.

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

# Ingredients with workplace control parameters

Components	CAS-No.	(Form of	Control parameters / Permissible concentration	Basis
		exposure)	Concentration	
emamectin benzoate	155569-91-8	TWA	0.02 mg/m3	Syngenta

## **Engineering measures**

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated. The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.

Where necessary, seek additional occupational hygiene advice.

## Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally

required.

When workers are facing concentrations above the exposure

limit they must use appropriate certified respirators.

Hand protection



**PROCLAIM** 

Version Revision Date: SDS Number: This version replaces all previous versions. 0.0 06/27/2023 S140055135

Remarks : Wear protective gloves. The choice of an appropriate glove

does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things from the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Eye protection : No special protective equipment required.

Skin and body protection : Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to

the specific work-place.

Remove and wash contaminated clothing before re-use.

Wear as appropriate:

Dust impervious protective suit

Protective measures : The use of technical measures should always have priority

over the use of personal protective equipment.

When selecting personal protective equipment, seek

appropriate professional advice.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : granules

Color : white to tan

Odor : No data available

Odor Threshold : No data available

pH : 4-8

Concentration: 1 %w/v

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : May form combustible dust concentrations in air.

Burning number :  $5 (68 \degree F / 20 \degree C)$ 

5 (212 °F / 100 °C)

Upper explosion limit / Upper

flammability limit

No data available



**PROCLAIM** 

Version 0.0

Revision Date: 06/27/2023

SDS Number: S140055135

This version replaces all previous versions.

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Density : No data available

Bulk density : 0.54 g/cm3

Solubility(ies)

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Self-heating substances : The substance or mixture is not classified as self heating.

Surface tension : 33.3 mN/m, 0.100 %, 68 °F / 20 °C

Minimum ignition energy : 30 - 100 mJ

Particle size : No data available

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : None reasonably foreseeable.
Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

No dangerous reaction known under conditions of normal use.

Conditions to avoid : No decomposition if used as directed.

Incompatible materials : None known.

Hazardous decomposition : N

products

No hazardous decomposition products are known.

# **SECTION 11. TOXICOLOGICAL INFORMATION**

# Information on likely routes of exposure

Ingestion Inhalation Skin contact Eye contact



**PROCLAIM** 

Version Revision Date: SDS Number: This version replaces all previous versions. 0.0 06/27/2023 S140055135

**Acute toxicity** 

**Product:** 

Acute oral toxicity : LD50 (Rat, male and female): 1,516 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): 6.28 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

**Components:** 

emamectin benzoate:

Acute oral toxicity : LD50 (Rat, female): 53 mg/kg

Acute inhalation toxicity : LC50 (Rat, female): 0.663 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male): 500 - 1,000 mg/kg

Skin corrosion/irritation

**Product:** 

Species : Rabbit

Result : No skin irritation

Components:

emamectin benzoate:

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

**Product:** 

Species : Rabbit

Result : No eye irritation

Components:

sodium 2-[methyloleoylamino]ethane-1-sulphonate:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

emamectin benzoate:

Species : Rabbit



**PROCLAIM** 

Version **Revision Date:** SDS Number: This version replaces all previous versions. S140055135 0.0 06/27/2023

Result Risk of serious damage to eyes.

Respiratory or skin sensitization

**Product:** 

**Species** Guinea pig

Result Did not cause sensitization on laboratory animals.

**Components:** 

emamectin benzoate:

**Species** Guinea pig

Result Did not cause sensitization on laboratory animals.

Germ cell mutagenicity

**Components:** 

sodium 2-[methyloleoylamino]ethane-1-sulphonate:

Germ cell mutagenicity -: In vitro tests did not show mutagenic effects

Assessment

emamectin benzoate:

Germ cell mutagenicity -Animal testing did not show any mutagenic effects.

Assessment

Carcinogenicity

**Components:** 

emamectin benzoate:

Carcinogenicity - Assess-: No evidence of carcinogenicity in animal studies.

ment

Reproductive toxicity

**Components:** 

sodium 2-[methyloleoylamino]ethane-1-sulphonate:

Reproductive toxicity - As-

No toxicity to reproduction

sessment

emamectin benzoate:

Reproductive toxicity - As-No toxicity to reproduction

sessment

STOT-single exposure

Components:

emamectin benzoate:

**Target Organs** Nervous system

Assessment The substance or mixture is classified as specific target organ

toxicant, single exposure, category 1.

Remarks A single exposure may damage the central and peripheral

nervous systems.



**PROCLAIM** 

Version Revision Date: SDS Number: This version replaces all previous versions. 0.0 06/27/2023 S140055135

STOT-repeated exposure

**Components:** 

emamectin benzoate:

Target Organs : Nervous system

Assessment : The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 1.

**SECTION 12. ECOLOGICAL INFORMATION** 

**Ecotoxicity** 

**Product:** 

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): 6.8 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.076 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)):

157 mg/l

Exposure time: 72 h

NOEC (Raphidocelis subcapitata (freshwater green alga)): 5.6

mg/l

End point: Growth rate Exposure time: 72 h

**Components:** 

sodium 2-[methyloleoylamino]ethane-1-sulphonate:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 1.32 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 5.76 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): 197 mg/l

Exposure time: 72 h

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 2 mg/l

Exposure time: 21 d

emamectin benzoate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.174 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.001 mg/l

Exposure time: 48 h

LC50 (Americamysis): 0.00004 mg/l

Exposure time: 96 h



**PROCLAIM** 

Version 0.0

**Revision Date:** 06/27/2023

SDS Number: S140055135

This version replaces all previous versions.

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)):

0.0174 mg/l

Exposure time: 72 h

NOEC (Raphidocelis subcapitata (freshwater green alga)):

0.0046 mg/l

End point: Growth rate Exposure time: 72 h

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 0.012 mg/l

Exposure time: 32 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Americamysis): 0.000018 mg/l

Exposure time: 28 d

Persistence and degradability

**Components:** 

sodium 2-[methyloleoylamino]ethane-1-sulphonate:

Biodegradability Result: Readily biodegradable.

emamectin benzoate:

Biodegradability Result: Not readily biodegradable.

Stability in water Degradation half life: 0.4 - 1.74 d

Remarks: Product is not persistent.

Bioaccumulative potential

**Components:** 

emamectin benzoate:

Bioaccumulation Remarks: Does not bioaccumulate.

Mobility in soil

**Components:** 

emamectin benzoate:

Distribution among environ-

mental compartments

Remarks: immobile

Dissipation time: 0.335 - 2.56 d Stability in soil

Percentage dissipation: 50 % (DT50) Remarks: Product is not persistent.

Other adverse effects

**Components:** 

emamectin benzoate:

Results of PBT and vPvB

assessment

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be



**PROCLAIM** 

Version Revision Date: SDS Number: This version replaces all previous versions. S140055135 0.0 06/27/2023

very persistent and very bioaccumulating (vPvB).

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues Do not contaminate ponds, waterways or ditches with

chemical or used container.

Do not dispose of waste into sewer.

Where possible recycling is preferred to disposal or

incineration.

If recycling is not practicable, dispose of in compliance with

local regulations.

Contaminated packaging Empty remaining contents.

Triple rinse containers.

Empty containers should be taken to an approved waste

handling site for recycling or disposal. Do not re-use empty containers.

#### **SECTION 14. TRANSPORT INFORMATION**

## International Regulations

**UNRTDG** 

**UN** number UN 3077

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(EMAMECTIN BENZOATE)

9 Class Ш Packing group Labels

Remarks This product can be subject to exemptions when packaged in

single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

**IATA-DGR** 

UN/ID No. UN 3077

Proper shipping name Environmentally hazardous substance, solid, n.o.s.

(EMAMECTIN BENZOATE)

9 Class Packing group Ш

Miscellaneous Labels 956

Packing instruction (cargo

aircraft)

956

Packing instruction (passen-

ger aircraft)

Environmentally hazardous

Remarks This product can be subject to exemptions when packaged in

> single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

**IMDG-Code** 

**UN** number UN 3077

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, Proper shipping name



**PROCLAIM** 

Version Revision Date: SDS Number: This version replaces all previous versions. 0.0 06/27/2023 S140055135

N.O.S.

(EMAMECTIN BENZOATE)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Remarks : This product can be subject to exemptions when packaged in

single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

# **Domestic regulation**

#### **49 CFR**

Not regulated as a dangerous good

Remarks : Shipment by ground under DOT is non-regulated; however it

may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

# Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## **SECTION 15. REGULATORY INFORMATION**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: Caution

Harmful if swallowed.

Harmful if inhaled.

Harmful if absorbed through skin.

Causes moderate eye irritation.

Avoid contact with skin, eyes or clothing.

Remove and wash contaminated clothing before re-use.

Avoid breathing spray mist.

Avoid breathing dust.

Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

## **CERCLA Reportable Quantity**

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

# SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Combustible dust

Acute toxicity (any route of exposure)

Specific target organ toxicity (single or repeated exposure)



**PROCLAIM** 

Version Revision Date: 0.0 06/27/2023

SDS Number: S140055135

This version replaces all previous versions.


SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### **SECTION 16. OTHER INFORMATION**

#### **Further information**

## NFPA 704:



Special hazard

## HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

## Full text of other abbreviations

Syngenta / TWA : Time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer: IATA - International Air Transport Association: IBC -International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse)



**PROCLAIM** 

Version Revision Date: SDS Number: This version replaces all previous versions. 0.0 06/27/2023 S140055135

Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 06/27/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8