

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## QUADRIS TOP FUNGICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	11/15/2024	S00046573559	Date of first issue: 09/17/2020

### SECTION 1. IDENTIFICATION

Product name : QUADRIS TOP FUNGICIDE  
Design code : A13703O

Product Registration number : 100-1313

#### Manufacturer or supplier's details

Company name of supplier : Syngenta Crop Protection, LLC  
Address : Post Office Box 18300  
Greensboro NC 27419  
United States of America (USA)

Telephone : 1 800 334 9481  
Telefax : 1 336 632 2192

E-mail address : sds.requests@syngenta.com  
Emergency telephone : 1 800 888 8372

#### Recommended use of the chemical and restrictions on use

Recommended use : Fungicide

Restrictions on use : General Use Pesticide

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 4

Skin sensitization : Category 1

Specific target organ toxicity : Category 2 (Bile duct)  
- repeated exposure

#### GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H302 + H332 Harmful if swallowed or if inhaled.  
H317 May cause an allergic skin reaction.  
H373 May cause damage to organs (Bile duct) through prolonged or repeated exposure.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## QUADRIS TOP FUNGICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	11/15/2024	S00046573559	Date of first issue: 09/17/2020

Precautionary Statements

**Prevention:**

P260 Do not breathe mist or vapors.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P272 Contaminated work clothing must not be allowed out of the workplace.  
P280 Wear protective gloves.

**Response:**

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.  
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.  
P314 Get medical advice/ attention if you feel unwell.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P363 Wash contaminated clothing before reuse.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
Azoxystrobin	131860-33-8	18.1818
difenoconazole	119446-68-3	11.3636
propane-1,2,3-triol	56-81-5	>= 1 - < 5
Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts	68425-94-5	>= 1 - < 5
1,2-benzisothiazol-3(2H)-one	2634-33-5	>= 0.05 - < 0.1

Actual concentration is withheld as a trade secret

### SECTION 4. FIRST AID MEASURES

General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.

If inhaled : Take the victim into fresh air.  
If breathing is irregular or stopped, administer artificial respiration.  
Keep patient warm and at rest.  
Call a physician or poison control center immediately.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## QUADRIS TOP FUNGICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	11/15/2024	S00046573559	Date of first issue: 09/17/2020

- |   |   |  |
|---|---|--|
| In case of skin contact                                     | : | Take off all contaminated clothing immediately.<br>Wash off immediately with plenty of water.<br>If skin irritation persists, call a physician.<br>Wash contaminated clothing before re-use.       |
| In case of eye contact                                      | : | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.<br>Remove contact lenses.<br>Immediate medical attention is required.                                     |
| If swallowed  | : | If swallowed, seek medical advice immediately and show this container or label.<br>Do NOT induce vomiting.   |
| Most important symptoms and effects, both acute and delayed | : | Nonspecific<br>No symptoms known or expected.<br>Harmful if swallowed or if inhaled.<br>May cause an allergic skin reaction.<br>May cause damage to organs through prolonged or repeated exposure. |
| Notes to physician  | : | There is no specific antidote available.<br>Treat symptomatically.   |

### SECTION 5. FIRE-FIGHTING MEASURES

- |  |   |   |
|--|---|---|
| Suitable extinguishing media                   | : | Extinguishing media - small fires<br>Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.<br>Extinguishing media - large fires<br>Alcohol-resistant foam<br>or<br>Water spray                           |
| Unsuitable extinguishing media                 | : | Do not use a solid water stream as it may scatter and spread fire.  |
| Specific hazards during fire fighting          | : | As the product contains combustible organic ingredients, fire will produce dense black smoke containing hazardous products of combustion (see section 10).<br>Exposure to decomposition products may be a hazard to health. |
| Hazardous combustion products                  | : | Carbon oxides<br>Nitrogen oxides (NOx)<br>Chlorine compounds<br>Fluorine compounds<br>Sulfur oxides   |
| Further information                            | : | Do not allow run-off from fire fighting to enter drains or water courses.<br>Cool closed containers exposed to fire with water spray.   |
| Special protective equipment for fire-fighters | : | Wear full protective clothing and self-contained breathing apparatus.   |

### SECTION 6. ACCIDENTAL RELEASE MEASURES

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## QUADRIS TOP FUNGICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	11/15/2024	S00046573559	Date of first issue: 09/17/2020

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Prevent further leakage or spillage if safe to do so.  
Do not flush into surface water or sanitary sewer system.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Clean contaminated surface thoroughly.  
Clean with detergents. Avoid solvents.  
Retain and dispose of contaminated wash water.

### SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : No special protective measures against fire required.  
Avoid contact with skin and eyes.  
When using do not eat, drink or smoke.  
For personal protection see section 8.
- Conditions for safe storage : No special storage conditions required.  
Keep containers tightly closed in a dry, cool and well-ventilated place.  
Keep out of the reach of children.  
Keep away from food, drink and animal feedingstuffs.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Azoxystrobin	131860-33-8	TWA	0.7 mg/m3	Syngenta
difenoconazole	119446-68-3	TWA	5 mg/m3	Syngenta
propane-1,2,3-triol	56-81-5	TWA (mist, respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (mist, total dust)	15 mg/m3	OSHA Z-1
		TWA (Mist - total dust)	10 mg/m3	OSHA P0
		TWA (Mist - respirable fraction)	5 mg/m3	OSHA P0

- Engineering measures : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## QUADRIS TOP FUNGICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	11/15/2024	S00046573559	Date of first issue: 09/17/2020

CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated. The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.

Where necessary, seek additional occupational hygiene advice.

### Personal protective equipment

Respiratory protection : Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection

Remarks : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The breakthrough time depends amongst other things from the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : No special protective equipment required.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Remove and wash contaminated clothing before re-use.

Wear as appropriate:

Impervious clothing

Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.

When selecting personal protective equipment, seek appropriate professional advice.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : beige

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## QUADRIS TOP FUNGICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	11/15/2024	S00046573559	Date of first issue: 09/17/2020

Odor	:	No data available
Odor Threshold	:	No data available
pH	:	6.0 - 9.0 Concentration: 100 %w/v
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Method: Pensky-Martens closed cup does not flash
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Density	:	1.10 - 1.14 g/cm <sup>3</sup> (68 °F / 20 °C)
Solubility(ies)		
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	932 °F / 500 °C
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Particle characteristics		
Particle size	:	No data available

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## QUADRIS TOP FUNGICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	11/15/2024	S00046573559	Date of first issue: 09/17/2020

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	None reasonably foreseeable.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	No decomposition if used as directed.
Incompatible materials	:	None known.
Hazardous decomposition products	:	No hazardous decomposition products are known.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Ingestion  
Inhalation  
Skin contact  
Eye contact

#### Acute toxicity

Harmful if swallowed or if inhaled.

#### Product:

Acute oral toxicity	:	LD50 (Mouse, male and female): 1,424 mg/kg Remarks: Based on data from similar materials
Acute inhalation toxicity	:	LC50 (Rat, male and female): 2.06 - < 5.17 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance/mixture is not toxic on inhalation as defined by dangerous goods regulations. Remarks: Based on data from similar materials
Acute dermal toxicity	:	LD50 (Rat, male and female): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity Remarks: Based on data from similar materials

#### Components:

##### **Azoxystrobin:**

Acute oral toxicity	:	LD50 (Rat, male and female): > 5,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat, female): 0.698 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rat, male and female): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

##### **difenoconazole:**

Acute oral toxicity	:	LD50 (Rat, male and female): 1,453 mg/kg
---------------------	---	--

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## QUADRIS TOP FUNGICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	11/15/2024	S00046573559	Date of first issue: 09/17/2020

Acute inhalation toxicity : LC50 (Rat, male and female): > 3.3 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,010 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

### propane-1,2,3-triol:

Acute oral toxicity : LD50 (Rat, female): > 4,000 mg/kg  
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat, male): > 2.75 mg/l  
Exposure time: 4 h  
Test atmosphere: vapor  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, female): > 5,000 mg/kg

### Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

### 1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity : LD50 (Rat, male): 670 mg/kg

Acute inhalation toxicity : LC50: 0.5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

#### Product:

Species : Rabbit  
Result : No skin irritation  
Remarks : Based on data from similar materials

#### Components:

##### Azoxystrobin:

Species : Rabbit  
Result : No skin irritation



# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## QUADRIS TOP FUNGICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	11/15/2024	S00046573559	Date of first issue: 09/17/2020

### difenoconazole:

Species	: Rabbit
Result	: No skin irritation

### propane-1,2,3-triol:

Species	: Rabbit
Result	: No skin irritation

### Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Species	: reconstructed human epidermis (RhE)
Result	: No skin irritation

### 1,2-benzisothiazol-3(2H)-one:

Species	: Rabbit
Result	: Irritating to skin.

### Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

### Product:

Species	: Rabbit
Result	: No eye irritation
Remarks	: Based on data from similar materials

### Components:

#### Azoxystrobin:

Species	: Rabbit
Result	: No eye irritation

#### difenoconazole:

Species	: Rabbit
Result	: Irritation to eyes, reversing within 7 days

#### propane-1,2,3-triol:

Species	: Rabbit
Result	: No eye irritation

### Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Species	: Rabbit
Result	: Irritation to eyes, reversing within 21 days

### 1,2-benzisothiazol-3(2H)-one:

Species	: Rabbit
Result	: Risk of serious damage to eyes.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## QUADRIS TOP FUNGICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	11/15/2024	S00046573559	Date of first issue: 09/17/2020

### Respiratory or skin sensitization

#### Skin sensitization

May cause an allergic skin reaction.

#### Respiratory sensitization

Not classified due to lack of data.

#### Components:

##### Azoxystrobin:

Species	:	Guinea pig
Result	:	Does not cause skin sensitization.

##### difenoconazole:

Species	:	Guinea pig
Result	:	Does not cause skin sensitization.

##### propane-1,2,3-triol:

Species	:	Guinea pig
Result	:	Not a skin sensitizer.

##### 1,2-benzisothiazol-3(2H)-one:

Result	:	Probability or evidence of high skin sensitization rate in humans
--------	---	---

### Germ cell mutagenicity

Not classified due to lack of data.

#### Components:

##### Azoxystrobin:

Germ cell mutagenicity - Assessment	:	Animal testing did not show any mutagenic effects.
-------------------------------------	---	--

##### difenoconazole:

Germ cell mutagenicity - Assessment	:	Animal testing did not show any mutagenic effects.
-------------------------------------	---	--

##### propane-1,2,3-triol:

Germ cell mutagenicity - Assessment	:	In vitro tests did not show mutagenic effects
-------------------------------------	---	---

##### 1,2-benzisothiazol-3(2H)-one:

Germ cell mutagenicity - Assessment	:	Weight of evidence does not support classification as a germ cell mutagen.
-------------------------------------	---	--

### Carcinogenicity

Not classified due to lack of data.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## QUADRIS TOP FUNGICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	11/15/2024	S00046573559	Date of first issue: 09/17/2020

### Components:

#### **Azoxystrobin:**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

#### **difenoconazole:**

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

#### **propane-1,2,3-triol:**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

**IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### **Reproductive toxicity**

Not classified due to lack of data.

### Components:

#### **Azoxystrobin:**

Reproductive toxicity - Assessment : No toxicity to reproduction, No effects on or via lactation

#### **difenoconazole:**

Reproductive toxicity - Assessment : No toxicity to reproduction

#### **propane-1,2,3-triol:**

Reproductive toxicity - Assessment : No toxicity to reproduction, No effects on or via lactation

#### **1,2-benzisothiazol-3(2H)-one:**

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

### **STOT-single exposure**

Not classified due to lack of data.

### Components:

#### **difenoconazole:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

### **STOT-repeated exposure**

May cause damage to organs (Bile duct) through prolonged or repeated exposure.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## QUADRIS TOP FUNGICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	11/15/2024	S00046573559	Date of first issue: 09/17/2020

### Components:

#### **Azoxystrobin:**

Target Organs	:	Bile duct
Assessment	:	The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

#### **difenoconazole:**

Assessment	:	The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
------------	---	--

#### **propane-1,2,3-triol:**

Assessment	:	The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
------------	---	--

#### **1,2-benzisothiazol-3(2H)-one:**

Assessment	:	The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
------------	---	--

### **Aspiration toxicity**

Not classified due to lack of data.

## SECTION 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

#### Components:

#### **Azoxystrobin:**

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 0.47 mg/l Exposure time: 96 h
------------------	---	--

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.28 mg/l Exposure time: 48 h
---	---	---

EC50 (Americamysis): 0.055 mg/l  
Exposure time: 96 h

Toxicity to algae/aquatic plants	:	ErC50 (Raphidocelis subcapitata (freshwater green alga)): 1.109 mg/l Exposure time: 72 h
----------------------------------	---	---

EC10 (Raphidocelis subcapitata (freshwater green alga)): 0.0303 mg/l  
End point: Growth rate  
Exposure time: 72 h

ErC50 (Skeletonema costatum (marine diatom)): 0.250 mg/l  
Exposure time: 72 h

NOEC (Skeletonema costatum (marine diatom)): 0.010 mg/l  
End point: Growth rate

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## QUADRIS TOP FUNGICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	11/15/2024	S00046573559	Date of first issue: 09/17/2020

Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.16 mg/l  
Exposure time: 28 d

EC10 (Pimephales promelas (fathead minnow)): 0.2197 mg/l  
Exposure time: 33 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.044 mg/l  
Exposure time: 21 d

NOEC (Americamysis): 0.00954 mg/l  
Exposure time: 28 d

Toxicity to microorganisms : IC50 (Pseudomonas putida): > 3.2 mg/l  
Exposure time: 6 h

### difenoconazole:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1.1 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.77 mg/l  
Exposure time: 48 h

EC50 (Americamysis): 0.15 mg/l  
Exposure time: 96 h

Toxicity to algae/aquatic plants : EC10 (Navicula pelliculosa (Freshwater diatom)): 0.0697 mg/l  
End point: Growth rate  
Exposure time: 72 h

ErC50 (Desmodesmus subspicatus (green algae)): 0.0876 mg/l  
Exposure time: 72 h

EC10 (Desmodesmus subspicatus (green algae)): 0.015 mg/l  
End point: Growth rate  
Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : EC10 (Pimephales promelas (fathead minnow)): 0.01298 mg/l  
Exposure time: 34 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10 (Daphnia magna (Water flea)): 0.0078 mg/l  
Exposure time: 21 d

EC10 (Americamysis): 0.00572 mg/l  
Exposure time: 28 d

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l  
Exposure time: 3 h

### 1,2-benzisothiazol-3(2H)-one:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2.18 mg/l  
Exposure time: 96 h

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## QUADRIS TOP FUNGICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	11/15/2024	S00046573559	Date of first issue: 09/17/2020

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 2.94 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Raphidocelis subcapitata (freshwater green alga)): 0.15 mg/l Exposure time: 72 h  NOEC (Raphidocelis subcapitata (freshwater green alga)): 0.055 mg/l End point: Growth rate Exposure time: 72 h
Toxicity to fish (Chronic toxicity)	:	NOEC (Oncorhynchus mykiss (rainbow trout)): 0.21 mg/l Exposure time: 28 d

### Persistence and degradability

#### Components:

##### **Azoxystrobin:**

Biodegradability	:	Result: Not readily biodegradable.
Stability in water	:	Degradation half life: 224 d Remarks: Persistent in water.

##### **difenoconazole:**

Biodegradability	:	Result: Not readily biodegradable.
Stability in water	:	Degradation half life: 1 d Remarks: Product is not persistent.

#### **Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:**

Biodegradability	:	Result: Not readily biodegradable.
------------------	---	------------------------------------

##### **1,2-benzisothiazol-3(2H)-one:**

Biodegradability	:	Result: Not readily biodegradable.
------------------	---	------------------------------------

### Bioaccumulative potential

#### Components:

##### **Azoxystrobin:**

Bioaccumulation	:	Remarks: Does not bioaccumulate.
-----------------	---	----------------------------------

##### **difenoconazole:**

Bioaccumulation	:	Remarks: Does not bioaccumulate.
-----------------	---	----------------------------------

Partition coefficient: n-octanol/water	:	log Pow: 4.4 (77 °F / 25 °C)
--	---	------------------------------

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## QUADRIS TOP FUNGICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	11/15/2024	S00046573559	Date of first issue: 09/17/2020

### 1,2-benzisothiazol-3(2H)-one:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

### Mobility in soil

#### Components:

#### **Azoxystrobin:**

Distribution among environmental compartments : Remarks: Low mobility in soil.

Stability in soil : Dissipation time: 81.3 d  
Percentage dissipation: 50 % (DT50)  
Remarks: Product is not persistent.

#### **difenoconazole:**

Distribution among environmental compartments : Remarks: Slightly mobile in soils

Stability in soil : Dissipation time: 122 d  
Percentage dissipation: 50 % (DT50)  
Remarks: Product is not persistent.

### Other adverse effects

#### Components:

#### **Azoxystrobin:**

Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).  
Substance is not very persistent and very bioaccumulative (vPvB).

#### **difenoconazole:**

Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).  
Substance is not very persistent and very bioaccumulative (vPvB).

### 1,2-benzisothiazol-3(2H)-one:

Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).  
Substance is not very persistent and very bioaccumulative (vPvB).

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not contaminate ponds, waterways or ditches with chemical or used container.  
Do not dispose of waste into sewer.  
Where possible recycling is preferred to disposal or incineration.  
If recycling is not practicable, dispose of in compliance with local regulations.  
This product will not be classified as a RCRA characteristic hazardous waste when discarded.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## QUADRIS TOP FUNGICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	11/15/2024	S00046573559	Date of first issue: 09/17/2020

Contaminated packaging : Empty remaining contents.  
Triple rinse containers.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Do not re-use empty containers.

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(AZOXYSTROBIN, DIFENOCONAZOLE)  
Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes  
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

##### IATA-DGR

UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(AZOXYSTROBIN, DIFENOCONAZOLE)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964  
Environmentally hazardous : yes  
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

##### IMDG-Code

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(AZOXYSTROBIN, DIFENOCONAZOLE)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes  
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.



# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## QUADRIS TOP FUNGICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	11/15/2024	S00046573559	Date of first issue: 09/17/2020

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### 49 CFR

Not regulated as a dangerous good

Remarks : Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

### Caution

Harmful if swallowed.

Harmful if absorbed through skin.

Causes moderate eye irritation.

Avoid contact with skin, eyes or clothing.

Wear protective eyewear.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Remove and wash contaminated clothing before re-use.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Acute toxicity (any route of exposure)  
Respiratory or skin sensitization  
Specific target organ toxicity (single or repeated exposure)

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

## SECTION 16. OTHER INFORMATION

### Further information

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## QUADRIS TOP FUNGICIDE


Version  
0.0

Revision Date:  
11/15/2024

SDS Number:  
S00046573559

Date of last issue: -  
Date of first issue: 09/17/2020

### NFPA 704:



### HMIS® IV:

HEALTH	*	2
FLAMMABILITY		0
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

### Full text of other abbreviations

OSHA P0	:	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
Syngenta	:	Syngenta Occupational Exposure Limits
OSHA P0 / TWA	:	8-hour time weighted average
OSHA Z-1 / TWA	:	8-hour time weighted average
Syngenta / TWA	:	Time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative)

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## QUADRIS TOP FUNGICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	11/15/2024	S00046573559	Date of first issue: 09/17/2020

tative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 11/15/2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8